


Available Colors



RNT01 ▶ Apuano



RNT02 ▶ Oro



RNT03 ▶ Avorio

Reunited™ — Reimagined. Reconnected. Reunited.

Features and Benefits


- Reunited™ brings back the soft, welcoming aesthetic introduced with Sociale™, refreshed with a versatile palette of calming neutrals and a warm, tactile character.
- Rectified field tile sizes: 6"x 24", 12"x 24" and 24"x 48"
- 2"x4" Stacked and 1"x6" Stacked Mosaics
- Complete your installations with 4"x 24" bullnose or 6"x 12" cove base
- Featuring Crossville's FeatherSoft™ matte finish, it offers a smooth, touchable surface with lasting performance.
- One core color is also offered in an exterior-rated texture, providing a seamless option for projects that continue outdoors.
- Made in the USA with global and domestic components



Available Mosaics



RNT01.10204FMOS
Apuano
2 x 4 Stacked Mosaic




RNT02.10204FMOS
Oro
2 x 4 Stacked Mosaic




RNT02.10204FMOS
Avorio
2 x 4 Stacked Mosaic



RNT01.10106FMOS
Apuano
1 x 6 Stacked Mosaic



RNT02.10106FMOS
Oro
1 x 6 Stacked Mosaic





RNT03.10106FMOS
Avorio
1 x 6 Stacked Mosaic



Floor: RNT02 ▶ Oro 24 x 48 FST

Wall: RNT02 ▶ Oro 12 x 24 FST and RNT02 ▶ Oro 2 x 4 Stacked Mosaic FST

Sizes



2 x 4 Stacked Mosaic
Mounted on a 296.9 x 296.9 sheet (coverage area 0.97sf)



1 x 6 Stacked Mosaic
Mounted on a 297 x 290 sheet (coverage area 0.95sf)



4 x 24 Single Bullnose



6 x 12 Cove Base

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



Sizes & Finishes

Field Tile - Rectified			Available in all colors*	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
6 x 24	147 x 597	9.5	3.0	FST
12 x 24	297 x 597	9.5	3.0	FST/EXT*
24 x 48	597 x 1197	10.5	3.0	FST

Note: Field tile is rectified with a 3mm grout joint

*EXT available on RNT03 Avorio only

Mosaics			Available in all colors	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 4 Stacked Mosaic*	296.9 x 296.9	9.5	2.5	FST
1 x 6 Stacked Mosaic†	297 x 290	9.5	3.0	FST

* Mounted on 12 x 12 sheet (coverage area 0.97sf) † Mounted on 12 x 11 sheet (coverage area 0.95sf)



Coordinating Trim			Available in all colors	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	9.5	3.0	FST
6 x 12 Cove Base	150 x 297	9.5	3.0	UPS

Product Performance		
Water Absorption	<0.5%	ASTM (C373)
Breaking Strength	≥ 450 lbf	ASTM (C648)
Bond Strength	> 200 psi	ASTM (C482)
Facial Dimension	± 0.10%	ASTM (C499)
Range of Thickness (in)	0.025	ASTM (C499)
Warpage - Diagonal	± 0.20%	ASTM (C485)
Wedging	± 0.25%	ASTM (C502)
Frost (Freeze/Thaw) Resistance		ASTM (C1026)
Chemical Resistance	Unaffected	ASTM (C650)
Stain Resistance	Resistant	ASTM (C1378)
Scratch Hardness	7	(Mohs)
Deep Abrasion		ASTM (C1243)
Crazing Resistance	No Crazing	ASTM (C424)
Thermal Shock Resistance	No Failures	ASTM (C484)
Visible Abrasion Resistance	na	ASTM (C1027)

Wet Dynamic Coefficient of Friction Range		
FST	0.50 - 0.60	ANSI (A326.3)
EXT	0.60 - 0.70	ANSI (A326.3)

Shade & Texture Index

Reunited has a shade variation of V2 and V3 (RNT01 and RNT02 = V3; RNT03 = V2).

V1	V2	V3	V4	V1 Uniform Appearance
				
				V2 Slight Variation
				V3 Moderate Variation
				V4 Substantial Variation

This porcelain tile product is produced with a V2 and V3 variation (RNT01 and RNT02 = V3; RNT03 = V2). While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or textures to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Application Areas

Please see Application Area chart at Crossville.com/learn/specification-library

Recommended Use

Reunited™ FST is recommended for interior floors dry, interior walls, exterior walls, pool waterlines and full linings† in both residential and commercial applications. Reunited FST is not recommended for exterior horizontal surfaces or exterior paving. Reunited EXT is recommended for interior or exterior floors and walls in both residential and commercial applications. See Crossville.com for detailed installation instructions.

† Excludes mesh mounted mosaics.

Wet area use for Reunited Mosaics

Crossville produces the Reunited mosaics with an unpolished finish. The AcuTest wet Dynamic COF of Reunited is $\geq .50$. Their small size ensures frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Reunited to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Care and Maintenance

Regular cleaning is the best way to keep Reunited tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at Crossville.com.

Our Warranty

Crossville guarantees that it's products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Crossville general product catalog. For complete details check our website at Crossville.com

Information listed here is subject to change. Please refer to Crossville.com for the latest, most accurate information.

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. See website for more details and sizes.



Crossville® Sample Express

Visit the website to learn more:

Crossville.com/collections/Reunited

Loose Tile Samples

Sizes may vary depending on product series

Max. of 4 large field tile per order

Standard Shipping
FedEx Ground

Crossville.com

You'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at Crossville.com.

Trade Organizations



Environmentally Aware

